Mayalit

Mayalit
No,A17, Xianghe West Rd., Dongjiang ind. Zone
Shuikou, Huizhou, Guangdong 516005, China
T: +86-752-533-3102
E: overseas@mayalit.com
http://www.mayalit-intl.com



Zac

The perfect integration of non-destructive protection of artworks and immersive visual presentation is achieved through millimeter-level light control technology.



Zac

Framing Projector

Felexible adjustable beam shaping

The luminaire's four framing shutters allow precise beam shaping into geometric shapes (circular, triangular, square).
Rotate the front zoom controls to adjust beam size and edge sharpness for optical clarity.









Zero Blue Fringing

Crisp, clean light output with sharp-edged spots and no blue chromatic aberration, ensuring pure illumination.



Precision Beam Projection

Framing projector luminaires are typically deployed in settings demanding exceptional visual emphasis on artworks or exhibits.
Their precision-targeted optics make displays appear self illuminated, achieving high-impact distraction free viewing experience.



DIY Customization

Customizable with various logo patterns to align with brand or thematic requirements.



Zac
Framing Projector

OCEAN FLOWER ISLAND MUSEUM



Application Introduction

The Zac Series is employed in this project to deliver pinpoint light projection, creating visuals that appear self-illuminated for a high-impact, stray light-free viewing experience.

Dimensions

MZL40124Z
82mm(max. 1450lm)

CCT
4000K

Control
On-board Dim

Photometric data

Framing spot

Zac
Framing Projector

ART MUSEUM OF SICHUAN FINE ARTS INSTITUTE



Application Introduction

Featuring a precision optical system, the Zac series allows free adjustment of beam patterns (e.g., circle, triangle, square) and supports customizable logo designs. Simply replace the logo plate to achieve diverse visual effects.

In this project, the Zac series is employed to create self-illuminated visuals, delivering a high-impact, distraction-free viewing experience that enhances exhibit prominence.

Dimensions

MML40124ZT
82mm(max1450lm)

CCT
4000K

Control
On-board Dim

Photometric data

Zoom framing





Zac - Framing Projector

MZL40124Z

Wattage	: 24W
Input Voltage	: 220-240V~50/60Hz
Installation	: Track mounted
Adjustable	: Horizontal360°/ Vertical90°
Weight	: 1.25kg
Finish	: MBK/MWT

Specification





3000K Ra97
4000K Ra95

Lighting tool



55° 564lm (3000K)
55° 586lm (4000K)





Zac - Framing Projector

MZL40130Z

Wattage	: 30W
Input Voltage	: 220-240V~50/60Hz
Installation	: Track mounted
Adjustable	: Horizontal360°/ Vertical90°
Weight	: 1.5kg
Finish	: MBK/MWT

Specification





3000K Ra97
4000K Ra95

Lighting tool



55° 710lm (3000K)
55° 736lm (4000K)





Zac - Framing Projector

MZL40124ZT (Zoom Framing)

Wattage	: 24W
Input Voltage	: 220-240V~50/60Hz
Installation	: Track mounted
Adjustable	: Horizontal360°/ Vertical90°
Weight	: 1.25kg
Finish	: MBK/MWT

Specification



3000K Ra97
4000K Ra95

Lighting tool

15° 338lm (3000K)
15° 362lm (4000K)

36° 638lm (3000K)
36° 659lm (4000K)





Zac - Framing Projector

MZL40130ZT (Zoom Framing)

Wattage	: 30W
Input Voltage	: 220-240V~50/60Hz
Installation	: Track mounted
Adjustable	: Horizontal360°/ Vertical90°
Weight	: 1.5kg
Finish	: MBK/MWT

Specification



3000K Ra97
4000K Ra95

Lighting tool

15° 425lm (3000K)
15° 454lm (4000K)

36° 824lm (3000K)
36° 853lm (4000K)